



Bangor
 92 Perry Rd, PO Box 927
 Bangor ME 04402-0927

Local - 207-947-8612
 Toll Free - 877-642-7244
 Fax - 207-947-6752

www.nhbragg.com

Westbrook
 17 Patrick Dr
 Westbrook ME 04092

Local - 207-854-1115
 Toll Free - 800-249-6208
 Fax - 207-854-1119

#L1007

LiftAll **SPECIALS** PRODUCTS FOR BETTER LIFTING

Load Hugger Cargo Control Ratchet Assemblies

Lift-All Load Hugger cargo control and load securement products are of the highest quality. They offer the van and flatbed operator a wide variety of options to meet Department of Transportation and CVSA requirements.



With vinyl coated open hook ends and polyester webbing. 2,100 lbs ultimate strength, 700 lbs working load limit.

Item #	Web Width	Web Length	Color	Price
SL 60103-15	1"	15'	Black	\$7.95
SL 60103-BLU	1"	10'	Blue	\$7.69



With zinc plated open hook ends and nylon webbing. 2,100 lbs ultimate strength, 700 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 60106	1"	10'	\$9.59
SL 60106-15	1"	15'	\$10.29
SL 60106-20	1"	20'	\$10.99



With U-Hook ends and polyester webbing. 10,000 lbs ultimate strength, 3,300 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 26422	2"	27'	\$19.59



With vinyl coated open hook ends and polyester webbing. 1,000 lbs ultimate strength, 330 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 60111	1"	10'	\$7.59
SL 60111-20	1"	20'	\$8.89



With U-Hook ends and nylon webbing. 2,100 lbs ultimate strength, 700 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 60101	1"	10'	\$9.79
SL 60101-15	1"	15'	\$10.49



With flat hook ends and polyester webbing. 10,000 lbs ultimate strength, 3,300 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 61001	2"	27'	\$22.29



With endless ends and polyester webbing. 10,000 lbs ultimate strength, 3,300 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 61011-12	2"	12'	\$13.69



With flat hook ends and polyester webbing. 5,000 lbs ultimate strength, 1,600 lbs working load limit.

Item #	Web Width	Web Length	Price
SL 60501	2"	27'	\$17.19



Galvanized Aircraft Cable

Item #	Cable Dia.	Std. Length	Nominal Break Strength	Price
WR 3/16AC	3/16"	500'	4,200 lbs	\$0.14/ft
WR 1/4AC	1/4"	500'	7,000 lbs	\$0.23/ft
WR 5/16AC	5/16"	500'	9,800 lbs	\$0.33/ft
WR 3/8AC	3/8"	500'	14,400 lbs	\$0.46/ft

Wire Rope

Item #	Rope Dia.	Std. Length	Approx. Wt. Per Ft.	Nominal Break Strength	Price
WR 1/4IWRC	1/4"	500'	0.12 lbs	3.40 tons	\$0.52/ft
WR 5/16IWRC	5/16"	500'	0.18 lbs	5.27 tons	\$0.63/ft
WR 3/8IWRC	3/8"	500'	0.26 lbs	7.55 tons	\$0.79/ft
WR 1/2IWRC	1/2"	500'	0.46 lbs	13.3 tons	\$0.99/ft

PRICING GOOD THROUGH 05-31-10. WHILE SUPPLIES LAST.

Permaloc Eye & Eye Wire Rope Slings 6 x 19 EIP, IWRC, Standard Eye

Lift-All Permaloc Slings are made using the flemish splice technique to form the eyes. Unlike the simple return loop method that places 100% of its strength on the swaged sleeve, Permaloc slings have reserve strength should the sleeve become damaged in use.



Item #	Rope Dia.	Length	Vertical Cap.	Choker Cap.	V. Basket Cap.	Standard Eye Size	Price
SL 1/4X2	1/4"	2'	0.65 tons	0.48 tons	1.3 tons	2" x 4"	\$6.89
SL 1/4X3	1/4"	3'	0.65 tons	0.48 tons	1.3 tons	2" x 4"	\$7.28
SL 1/4X4	1/4"	4'	0.65 tons	0.48 tons	1.3 tons	2" x 4"	\$7.89
SL 1/4X6	1/4"	6'	0.65 tons	0.48 tons	1.3 tons	2" x 4"	\$9.09
SL 1/4X8	1/4"	8'	0.65 tons	0.48 tons	1.3 tons	2" x 4"	\$10.19
SL 3/8X3	3/8"	3'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$9.89
SL 3/8X4	3/8"	4'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$10.79
SL 3/8X5	3/8"	5'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$11.69
SL 3/8X6	3/8"	6'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$12.59
SL 3/8X8	3/8"	8'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$14.29
SL 3/8X10	3/8"	10'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$16.09
SL 3/8X12	3/8"	12'	1.4 tons	1.1 tons	2.9 tons	3" x 6"	\$17.89
SL 1/2X3	1/2"	3'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$13.79
SL 1/2X4	1/2"	4'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$14.89
SL 1/2X6	1/2"	6'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$17.19
SL 1/2X8	1/2"	8'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$19.39
SL 1/2X10	1/2"	10'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$21.59
SL 1/2X12	1/2"	12'	2.5 tons	1.9 tons	5.1 tons	4" x 8"	\$23.89
SL 5/8X3	5/8"	3'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$19.49
SL 5/8X4	5/8"	4'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$20.95
SL 5/8X6	5/8"	6'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$24.09
SL 5/8X8	5/8"	8'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$27.19
SL 5/8X10	5/8"	10'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$30.29
SL 5/8X12	5/8"	12'	3.9 tons	2.9 tons	7.8 tons	5" x 10"	\$33.29
SL 3/4X4	3/4"	4'	3.9 tons	4.1 tons	11 tons	6" x 12"	\$32.19
SL 3/4X6	3/4"	6'	3.9 tons	4.1 tons	11 tons	6" x 12"	\$36.59
SL 3/4X8	3/4"	8'	3.9 tons	4.1 tons	11 tons	6" x 12"	\$40.95
SL 3/4X10	3/4"	10'	3.9 tons	4.1 tons	11 tons	6" x 12"	\$45.49
SL 3/4X12	3/4"	12'	3.9 tons	4.1 tons	11 tons	6" x 12"	\$49.95

Center Pull Hoist Rings



Item #	Thread Size	Rated Capacity	Standard Clevis	Thread Length	Radius	Dia.	Torque	Price
SL 09439	5/16-18	800 lbs	2-21/32"	9/16"	7/16"	3/8"	7 ft lbs	\$71.95
SL 09387	3/8-16	1,000 lbs	2-21/32"	9/16"	7/16"	3/8"	12 ft lbs	\$71.95
SL 09440	1/2-13	2,500 lbs	3-3/4"	1-1/16"	11/16"	1/2"	28 ft lbs	\$86.49
SL 09441	1/2-13	2,500 lbs	4-25/32"	3/4"	7/8"	3/4"	28 ft lbs	\$86.49
SL 09443	5/8-11	4,000 lbs	4-25/32"	1"	7/8"	3/4"	60 ft lbs	\$86.49
SL 09389	5/8-11	4,000 lbs	4-25/32"	1-1/4"	7/8"	3/4"	60 ft lbs	\$86.49
SL 09390	3/4-10	5,000 lbs	4-25/32"	1"	7/8"	3/4"	100 ft lbs	\$86.49
SL 09394	1-8	10,000 lbs	6-1/2"	1-1/4"	1-13/32"	1"	230 ft lbs	\$185.79
SL 09395	1-8	10,000 lbs	6-1/2"	1-1/2"	1-13/32"	1"	230 ft lbs	\$185.79
SL 09482	M8 x 1.25	400 kgs	67.8mm	12.5mm	10.9mm	9.7mm	1.0 kg m	\$71.85
SL 09404	M16 x 2.0	1,900 kgs	121.4mm	29.0mm	22.4mm	19.0mm	8.2 kg m	\$86.49
SL 09405	M20 x 2.5	3,000 kgs	165.6mm	32.0mm	35.6mm	25.4mm	13.6 kg m	\$185.79

Tuff-Edge™ Polyester Web Slings

Most web sling damage starts on the edge and progresses across the face of the webbing. Polymer coated yarns are woven into the edges of Tuff-Edge® sling webbing to reduce damage and increase its useful life.

Type 4 - Twisted Eyes



Item #	Type	Ply	Web Width	Web Length	Vertical Cap.	Choker Cap.	V. Basket Cap.	Price
SL EE1801TX3T	Type 4 - Twisted Eyes	1	1"	3'	1,600 lbs	1,250 lbs	3,200 lbs	\$6.69
SL EE1801TX4T	Type 4 - Twisted Eyes	1	1"	4'	1,600 lbs	1,250 lbs	3,200 lbs	\$7.19
SL EE1801TX6T	Type 4 - Twisted Eyes	1	1"	6'	1,600 lbs	1,250 lbs	3,200 lbs	\$8.19
SL EE1802TX3T	Type 4 - Twisted Eyes	1	2"	3'	3,200 lbs	2,500 lbs	6,400 lbs	\$9.95
SL EE1802TX4T	Type 4 - Twisted Eyes	1	2"	4'	3,200 lbs	2,500 lbs	6,400 lbs	\$10.95
SL EE1802TX6T	Type 4 - Twisted Eyes	1	2"	6'	3,200 lbs	2,500 lbs	6,400 lbs	\$12.75
SL EE1802TX8T	Type 4 - Twisted Eyes	1	2"	8'	3,200 lbs	2,500 lbs	6,400 lbs	\$14.59
SL EE1802TX10T	Type 4 - Twisted Eyes	1	2"	10'	3,200 lbs	2,500 lbs	6,400 lbs	\$16.45
SL EE1803TX4T	Type 4 - Twisted Eyes	1	3"	4'	4,800 lbs	3,800 lbs	9,600 lbs	\$17.45
SL EE1803TX6T	Type 4 - Twisted Eyes	1	3"	6'	4,800 lbs	3,800 lbs	9,600 lbs	\$20.59
SL EE1803TX8T	Type 4 - Twisted Eyes	1	3"	8'	4,800 lbs	3,800 lbs	9,600 lbs	\$23.39
SL EE1803TX10T	Type 4 - Twisted Eyes	1	3"	10'	4,800 lbs	3,800 lbs	9,600 lbs	\$26.49
SL EE2801TX3T	Type 4 - Twisted Eyes	2	1"	3'	3,200 lbs	2,500 lbs	6,400 lbs	\$8.09
SL EE2801TX4T	Type 4 - Twisted Eyes	2	1"	4'	3,200 lbs	2,500 lbs	6,400 lbs	\$9.19
SL EE2801TX6T	Type 4 - Twisted Eyes	2	1"	6'	3,200 lbs	2,500 lbs	6,400 lbs	\$11.39
SL EE2801TX8T	Type 4 - Twisted Eyes	2	1"	8'	3,200 lbs	2,500 lbs	6,400 lbs	\$13.59
SL EE2801TX10T	Type 4 - Twisted Eyes	2	1"	10'	3,200 lbs	2,500 lbs	6,400 lbs	\$15.79
SL EE2801TX12T	Type 4 - Twisted Eyes	2	1"	12'	3,200 lbs	2,500 lbs	6,400 lbs	\$17.89
SL EE2802TX3T	Type 4 - Twisted Eyes	2	2"	3'	6,400 lbs	5,000 lbs	12,800 lbs	\$11.69
SL EE2802TX4T	Type 4 - Twisted Eyes	2	2"	4'	6,400 lbs	5,000 lbs	12,800 lbs	\$13.69
SL EE2802TX5T	Type 4 - Twisted Eyes	2	2"	5'	6,400 lbs	5,000 lbs	12,800 lbs	\$15.69
SL EE2802TX6T	Type 4 - Twisted Eyes	2	2"	6'	6,400 lbs	5,000 lbs	12,800 lbs	\$14.59
SL EE2802TX7T	Type 4 - Twisted Eyes	2	2"	7'	6,400 lbs	5,000 lbs	12,800 lbs	\$19.59
SL EE2802TX8T	Type 4 - Twisted Eyes	2	2"	8'	6,400 lbs	5,000 lbs	12,800 lbs	\$21.59
SL EE2802TX10T	Type 4 - Twisted Eyes	2	2"	10'	6,400 lbs	5,000 lbs	12,800 lbs	\$25.49
SL EE2802TX12T	Type 4 - Twisted Eyes	2	2"	12'	6,400 lbs	5,000 lbs	12,800 lbs	\$29.49
SL EN1801TX2	Type 5 - Endless	1	1"	2'	1,600 lbs	1,250 lbs	3,200 lbs	\$5.99
SL EN1801TX3	Type 5 - Endless	1	1"	3'	1,600 lbs	1,250 lbs	3,200 lbs	\$6.59
SL EN1801TX4	Type 5 - Endless	1	1"	4'	1,600 lbs	1,250 lbs	3,200 lbs	\$7.69
SL EN1801TX6	Type 5 - Endless	1	1"	6'	1,600 lbs	1,250 lbs	3,200 lbs	\$9.79
SL EN1801TX8	Type 5 - Endless	1	1"	8'	1,600 lbs	1,250 lbs	3,200 lbs	\$11.89
SL EN1801TX10	Type 5 - Endless	1	1"	10'	1,600 lbs	1,250 lbs	3,200 lbs	\$14.09
SL EN1801TX12	Type 5 - Endless	1	1"	12'	1,600 lbs	1,250 lbs	3,200 lbs	\$16.19
SL EN1802TX3	Type 5 - Endless	1	2"	3'	3,200 lbs	2,500 lbs	6,400 lbs	\$10.29
SL EN1802TX4	Type 5 - Endless	1	2"	4'	3,200 lbs	2,500 lbs	6,400 lbs	\$12.19
SL EN1802TX6	Type 5 - Endless	1	2"	6'	3,200 lbs	2,500 lbs	6,400 lbs	\$16.09
SL EN1802TX7	Type 5 - Endless	1	2"	7'	3,200 lbs	2,500 lbs	6,400 lbs	\$17.99
SL EN1802TX8	Type 5 - Endless	1	2"	8'	3,200 lbs	2,500 lbs	6,400 lbs	\$15.95
SL EN1802TX10	Type 5 - Endless	1	2"	10'	3,200 lbs	2,500 lbs	6,400 lbs	\$23.79
SL EN1802TX12	Type 5 - Endless	1	2"	12'	3,200 lbs	2,500 lbs	6,400 lbs	\$27.69

Type 5 - Endless



Fork Lift Accessories

Swivel hooks (fixed hooks shown). Easy attachment - no tools required. Welded construction for durability. Promotes versatility of fork lift trucks.

Contact the sales department for more detailed specifications.



Single Fork Hooks
3,000 lb rated capacity

Item #	Size	Price
SL SFHS4	4-1/2" x 2-1/2"	\$176.50
SL SFHS5	5-1/2" x 2-1/2"	\$178.95
SL SFHS6	6-1/2" x 2-1/2"	\$183.95



Double Fork Beams

Item #	Rated Capacity	Overall Width	Price
SL DFBS4	4,000 lbs	20"	\$293.95
SL DFBS10	10,000 lbs	24"	\$434.39



Tuflex Endless Polyester Roundslings

Item #	Color	Body Dia. Relaxed	Web Width At Load	Web Length	Weights Per Foot	Vertical Cap.	Choker Cap.	V. Basket Cap.	Price
SL EN-30X3	Purple	5/8"	1-1/8"	3'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$7.39
SL EN-30X4	Purple	5/8"	1-1/8"	4'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$9.29
SL EN-30X6	Purple	5/8"	1-1/8"	6'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$12.59
SL EN-30X8	Purple	5/8"	1-1/8"	8'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$15.95
SL EN-30X10	Purple	5/8"	1-1/8"	10'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$19.19
SL EN-30X16	Purple	5/8"	1-1/8"	16'	0.2 lbs	2,600 lbs	2,100 lbs	5,200 lbs	\$29.38
SL EN-60X3	Green	7/8"	1-1/2"	3'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$8.79
SL EN-60X4	Green	7/8"	1-1/2"	4'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$11.09
SL EN-60X6	Green	7/8"	1-1/2"	6'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$15.59
SL EN-60X8	Green	7/8"	1-1/2"	8'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$19.95
SL EN-60X10	Green	7/8"	1-1/2"	10'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$24.59
SL EN-60X12	Green	7/8"	1-1/2"	12'	0.3 lbs	5,300 lbs	4,200 lbs	10,600 lbs	\$28.95
SL EN-90X3	Yellow	1-1/8"	1-7/8"	3'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$11.69
SL EN-90X4	Yellow	1-1/8"	1-7/8"	4'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$14.69
SL EN-90X6	Yellow	1-1/8"	1-7/8"	6'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$20.79
SL EN-90X8	Yellow	1-1/8"	1-7/8"	8'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$26.89
SL EN-90X10	Yellow	1-1/8"	1-7/8"	10'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$32.89
SL EN-90X12	Yellow	1-1/8"	1-7/8"	12'	0.5 lbs	8,400 lbs	6,700 lbs	16,800 lbs	\$38.95
SL EN-120X4	Tan	1-1/8"	2-1/8"	4'	0.6 lbs	10,600 lbs	8,500 lbs	21,200 lbs	\$16.69
SL EN-120X5	Tan	1-1/8"	2-1/8"	5'	0.6 lbs	10,600 lbs	8,500 lbs	21,200 lbs	\$19.95
SL EN-120X8	Tan	1-1/8"	2-1/8"	8'	0.6 lbs	10,600 lbs	8,500 lbs	21,200 lbs	\$30.29
SL EN-120X12	Tan	1-1/8"	2-1/8"	12'	0.6 lbs	10,600 lbs	8,500 lbs	21,200 lbs	\$38.89
SL EN-120X16	Tan	1-1/8"	2-1/8"	16'	0.6 lbs	10,600 lbs	8,500 lbs	21,200 lbs	\$57.39
SL EN-150X3	Red	1-3/8"	2-1/4"	3'	0.8 lbs	13,200 lbs	10,600 lbs	26,400 lbs	\$17.19
SL EN-150X4	Red	1-3/8"	2-1/4"	4'	0.8 lbs	13,200 lbs	10,600 lbs	26,400 lbs	\$21.79
SL EN-150X6	Red	1-3/8"	2-1/4"	6'	0.8 lbs	13,200 lbs	10,600 lbs	26,400 lbs	\$30.79
SL EN-150X8	Red	1-3/8"	2-1/4"	8'	0.8 lbs	13,200 lbs	10,600 lbs	26,400 lbs	\$39.69
SL EN-150X10	Red	1-3/8"	2-1/4"	10'	0.8 lbs	13,200 lbs	10,600 lbs	26,400 lbs	\$48.79

The Tuflex Roundsling is an endless synthetic sling made from a skein (continuous loop or hank) of polyester yarn covered by a double wall tubular jacket. The roundsling body can also be compared to sling webbing with the tubular jacket face yarns woven without binder yarns. This allows the core yarns to move independently within the jacket.

Adjust-A-Link Chain Slings With Grade 100 Alloy Chain

The most easily adjustable and versatile chain sling is now stronger too!

- Complies with OSHA - proof tested and certified
- Grade 100 chain provides approximately 25% higher capacities than previous Adjust-A-Link slings - replaces larger, more expensive slings
- New angled plate design reduces bending torque on chain and plate - reduces wear and extends sling life
- More compact plate design fits larger hooks for easier rigging

Item #	Chain Size	Chain Length	Capacity Single@90°	Capacity Double @ 60°	Price
SL 30001G10	7/32"	6'	2,700 lbs	4,700 lbs	\$112.95
SL 30002G10	7/32"	10'	2,700 lbs	4,700 lbs	\$134.95
SL 30003G10	9/32"	6'	4,300 lbs	7,400 lbs	\$137.95
SL 30004G10	9/32"	10'	4,300 lbs	7,400 lbs	\$161.95
SL 30005G10	3/8"	10'	8,800 lbs	15,200 lbs	\$261.95
SL 30006G10	3/8"	14'	8,800 lbs	15,200 lbs	\$293.95

NH Bragg offers sling inspections and training!



Bangor

92 Perry Rd, PO Box 927
Bangor ME 04402-0927
207-947-8612 • 877-642-7244
FAX 207-947-6752
Open Mon. - Fri. 7:00AM - 5:00PM
Sat. 7:30AM - Noon



www.nhbragg.com

Westbrook

17 Patrick Drive - Suite 1
Westbrook ME 04092
207-854-1115 • 800-249-6208
FAX 207-854-1119
Open Mon. - Fri. 7:30AM - 5:00PM
Sat. Closed